

B

## INDEX MAPS.

**T. 11N. R. 12E. 2<sup>nd</sup> Mer.**

5-8	5-7	6-7	6-7	6-7	6
10 6 33	5 32	4 32	3 31	2 31	1 5
<del>33</del>	<del>34-33</del>	<del>30-32</del>	<del>30-32</del>	<del>30-31</del>	<del>30</del>
9 7 29	8 28	9 27	10 27	11 27	12 4
<del>29</del>	<del>25-28</del>	<del>25-28</del>	<del>26-27</del>	<del>26</del>	<del>26</del>
9 18 25	17 24	16 23	15 22	14 22	13 4
<del>24</del>	<del>21-24</del>	<del>21-23</del>	<del>21-23</del>	<del>21-22</del>	<del>22</del>
9 19 20	20 19	21 19	22 18	23 18	24 4
<del>20</del>	<del>16-20</del>	<del>17-19</del>	<del>17-19</del>	<del>17-18</del>	<del>17</del>
8 30 16	29 16	28 15	27 15	26 11	25 4
<del>13</del>	<del>13-16</del>	<del>14-15</del>	<del>14-15</del>	<del>14</del>	<del>11</del>
8 31 13	32 12	33 12	34 11	35 10	36 3
<del>1-3</del>	<del>1-3</del>	<del>1-2</del>	<del>1-2</del>	<del>1-2</del>	<del>2</del>

**T. 12N. R. 12E. 2<sup>nd</sup> Mer.**

42-44	42-44	42-44	43-44	43-44	43
46 6 70	5 69	4 69	3 68	2 67	1 39 42
<del>70</del>	<del>66-70</del>	<del>66-69</del>	<del>66-68</del>	<del>67-68</del>	<del>67</del>
46 7 66	8 65	9 64	10 61	11 61	12 39 41
<del>65</del>	<del>63-65</del>	<del>63-65</del>	<del>64</del>	<del>60-61</del>	<del>60</del>
46 18 63	17 62	16 60	15 59	14 59	13 40 41
<del>62</del>	<del>57-62</del>	<del>58-62</del>	<del>58-59</del>	<del>58-59</del>	<del>58</del>
45 19 57	20 56	21 55	22 55	23 54	24 40 41
<del>57</del>	<del>53-56</del>	<del>53-56</del>	<del>53-55</del>	<del>54-55</del>	<del>54</del>
45 30 53	29 51	28 50	27 50	26 48	25 40 41
<del>52</del>	<del>52-71</del>	<del>51</del>	<del>49-50</del>	<del>49</del>	<del>47-48</del>
45 31 52	32 50	33 49	34 48	35 47	36 40 41
<del>37-39</del>	<del>37-39</del>	<del>37-38</del>	<del>37-38</del>	<del>37-38</del>	<del>38</del>

(P) The figures on the lines refer to the page.

Township N. 11. North, Range N. 12 East 2. Mer. Ind.

### Township Lines.

44.00 South Boundary. Random line  
East on S. Boundary of Sec. 31

40.00 set temp. gr. sec. post

Level land. Timber Beech, Poplar

55.00 a Brook 3 hrs. wide course NE

67.00 a Do 10 " " " N

80.00 set temp. post for sec. 31 & 32

Good Beech land. September 30. 1810

---

East on S. Boundary of Sec. 32

22.00 a Brook 3 hrs. wide course SE

40.00 set temp. gr. sec. post

47.00 a Brook 4 hrs. wide course NE

67.00 a creek 60 " " " N

80.00 set temp. post for sec. 32 & 33

Hilly rough land. Timber Oak, Dogwood &c.

---

East on S. Boundary of Sec. 33

40.00 set temp. gr. sec. post

80.00 set temp. post for sec. 33 & 34

Hilly Oak land.

---

East on S. Boundary of Sec. 34

3.00 a Brook 3 hrs. wide course NW

40.00 set temp. gr. sec. post. Level Oak land.

68.00 a Brook 4 hrs. wide course N.

72.00 a creek 100 " " " N.

80.00 set temp. post for sec. 34 & 35

Hilly Oak land.

---

East on S. Boundary of Sec. 35

40.00 set temp. gr. sec. post

52.00 a Brook 4 hrs. wide course N.

77.50 a Do 5 " " " N.

80.00 set temp. post cor. to Sec. 35 & 36.



2 S. 11 N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>  
Ch. M.

Will, Oak land.

East On S. Side of Sec. 36.

40.00 Set campy. gr. sec. post.

54.00 at Brook & Ch. side corner N.

58.60 Set a post. and went to the corner of  
Towns 9 & 11 in Ranges 12 & 13 and  
measured north an Range Line

60.00 South Boundary Cont<sup>d</sup> on correct line.

West On S. Side of Sec. 36. Correct line.

40.00 set gr. sec. post, from which  
a Hickory 10 in. dia. bears S 13 E. 15 lb. dist. 8  
a Sugar 12 " " " N 17 E. 35 " "

80.00 Set post Cor. of Sec. 35 & 36, fr. wh.  
a Wh. Oak 13 in. dia. bears N 8 E. 11 lb. dist.  
a Wh. Do. 16 " " " S 84 W. 23 " "

West On S. Side of Sec. 35.

40.00 set gr. sec. post, from which  
a W. Oak 14 in. dia. bears S 16 W. 9 lb. dist.  
a Sugar 5 " " " N 37 W. 7 " "

80.00 set post Cor. to Sec. 34 & 35, fr. which  
a Beech 15 in. dia. bears N 68 W. 33 lb. dist.  
a Wh. Oak 60 " " " S 81 E. 44 " "

West On S. Side of Sec. 34.

40.00 Set gr. sec. post, from which  
a Poplar 8 in. dia. bears N 29 E. 9 lb. dist. 8  
a Hickory 10 " " " S 68 W. 11 " "

80.00 Set post Cor. to Sec. 33 & 34, from wh.  
a Gum 14 in. dia. bears N 68 W. 9 lb. dist. and  
a Gum 15 " " " S 48 W. 34 " "

West On S. Side of Sec. 33.

40.00 set gr. sec. post, from which

T. W. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup> 3.

at. 40.00 a Wh. Oak 10 in. dia. bears N 44 W. 22 lb. dist. &  
a Hickory 10 " " " N 62 W. 32 " "  
80.00 set post Cor. to Sec. 12 E. 2<sup>nd</sup> & 33, from which  
a Wh. Oak 3 1/4 in. diam. bears N 11 E. 17 lb. dist. &  
a Do. 30 " " " S 44 W. 15 " "

---

West On S. side of sec 32.

40.00 set gp. sec. post, from which  
a Poplar 18 in. dia. bears S 75 W. 17 lb. dist.  
a Do 24 " " " N 28 E. 32 " "  
80.00 set post Cor. to Sec. 31 & 32, fr. wh.  
a Sugar 10 in. dia. bears S 55 E. 36 lb. dist. &  
a Blue Ash 6 in. dia. " N 15 E. 30 " "

---

West On S. side of sec. 31.

40.00 set gp. sec. post, from which  
a Beech 18 in. dia. bears S 33 E. 26 lb. dist. &  
a Wh. Oak 40 " " " N 21 W. 31 " "  
58.60 To The corner of Towns 10 & 11 in Ranges  
11 & 12 & set post, from which  
a Beech 18 in. dia. bears S 22 E. 8 lb. dist. &  
a Beech 16 " " " N 58 W. 43 " "  
Surveyed in 1876  
Ry A. Holmes, Dep. Sur.

---

East Boundary.

Var. 4<sup>th</sup> East.

North On E. side of sec. 36.

30.00 a Brook 6 lb. wide Course N. E.  
40.00 set gp. sec. post, from which  
a B. Oak 24 in. dia. bears S 57 W. 20 lb. dist. &  
a Dogwood 4 in. dia. " N 34 E. 70 " "  
51.80 an Elm 12 " "  
80.00 set post Cor. to Sec. 25 & 36, from which  
a Sapafra 8 in. dia. bears N 4 E. 15 lb. dist. and  
a Hickory 12 " " " S 45 E. 27 " "

4. T. 11 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

ch. Shilly poor Oak land.

---

North On E. side of Sec 25.

40.00 Set gr. sec. post, from which  
a Wh. Oak 18 in. dia. bears S 45 W. 17 lks. dist. X  
a Wh. Oak 30 in. " " N 41 W. 18 " "  
80.00 Set post Cor. to Sec. 24 & 25. fr. wh.  
a Hickory 12 in. dia. bears South 3 lks. dist. X  
a Buckeye 8 " " " North 12 " "  
Shilly Rich land. Timbered with Oak,  
Hickory Buckeye &c.

---

North On E. side of Sec. 24.

2.50 a Brook 100 lks wide course N.E.  
40.00 Set gr. sec. post, from which  
a Sugar 14 in. dia. bears N 12 E. 5 lks. dist. X  
a Beech 18 " " " S 44 E. 24 " "  
57.00 a Brook 50 lks. wide course E.  
80.00 Set post Cor. to Sec. 13 & 24, fr. wh.  
a Sugar 24 in. dia. bears N 50 W. 8 lks. dist. X  
a Sugar 8 " " " S 8 E. 28 " "  
Land, hilly and Rich. Timb.<sup>d</sup> with  
Sugar, Hickory &c.

---

North On E. side of Sec. 13

40.00 Set gr. sec. post, from which  
a Beech 6 in. dia. bears S 88 E. 15 lks. dist. X  
a Beech 10 " " " N 62 W. 34 " "  
58.60 a Hickory 18 in. diam.  
60.00 a Brook 5 lks. wide course N.E.  
80.00 Set post Cor. to Sec. 12 & 13, fr. wh.  
a B. Oak 14 in. dia. bears S 44 W. 21 lks. dist. and  
a Wh. Oak 18 " " " N 32 E. 22 " "  
Shilly poor Oak land.

---

North On E. side of Sec. 12.

T. 11 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana. 5.

Ch. W.

- 38.50 a Brook 40 ft. wide course E.  
40.00 Set q. sec. post from which  
a walnut 30 in. dia. bears N 34 W. 16 ft. dist. &  
a Sycamore 36 " " " S 4 W. 24 " "  
80.00 Set post cor. to sec. 1 & 12, from which  
a Beech 16 in. dia. bears S 18 E. 15 ft. dist. &  
a Do. 12 " " " N 18 W. 10 " "  
Hilly Rich Land.

---

North On E. side of sec. 1.

- 12.50 a Brook 10 ft. wide course E.  
21.75 a Hickory 12 in. dia. Hilly rich land. Sugar &c.  
35.00 a Brook 5 ft. wide course E.  
40.00 Set q. sec. post from which  
a Beech 6 in. dia. bears E 38 W. 15 ft. dist. &  
a Do. 8 " " " S 56 E. 8 " "  
72.00 To White Water River 300 ft. wide C. & E.  
80.00 Set post cor. to Towns 11 & 12 in Ranges  
12 & 13 E East, from which  
an Ash 10 in. dia. bears S 11 E. 9 ft. dist. &  
a Locust, 15 " " " N 62 W. 56 " "  
Surveyed in 1810.  
By A. Holmes, Dep. Sur.

---

North Boundary.

Oct. 6<sup>th</sup> 1810.

Var. min

- East On E. side of Sec. 31. T. 12 N. R. 12 E. Boundary line  
35.00 set unimp. q. sec. post.  
57.50 a Brook 6 ft. wide course North.  
75.00 Set post cor. to Sec. 31 & 32. (Temp.)  
Hilly, Beech Land.

---

East On S. side of Sec. 32. T. 12 N. R. 12 E.

- 40.00 Set q. sec. post. (temporary.)  
80.00 Set tempy. post cor. to Sec. 32 & 33.  
Rich Hill Side. Sugar Beech and  
Elm Timber.



6 S. 11 N. T. 12 E. 9<sup>th</sup> Mer. Ind<sup>g</sup>

East On S. side of sec. 33. T. 12 N. R. 12 E.  
 37.00 a Brook 50 lbs. wide course East.  
 40.00 set temp. gr. sec. post.  
 75.00 a creek 100 lbs. wide course N.E.  
 80.00 set temp. post cor. to sec. 33 & 34.  
 Rich Bottom. Timber, Sugar,  
 Ash & Elm.

East On S. side of sec. 34. T. 12 N. R. 12 E.  
 13.60 a Brook 3 lbs. wide C. N.  
 36.00 a Brook 3 " " "  
 40.00 set temp. gr. sec. post.  
 51.50 a Brook 3 lbs. wide C. N.  
 80.00 set temp. post. cor. to sec. 34 & 35.  
 Hilly Broken Land. Timber, Oak and  
 Beech.

East On E. side of sec. 35. T. 12 N. R. 12 E.  
 16.00 a Brook 3 lbs. wide course N.  
 40.00 set temp. gr. sec. post.  
 51.00 a Brook 10 lbs. wide course N.  
 76.00 a Do. 10 " " " N.  
 80.00 set temp. post cor. to sec. 35 & 36.  
 Broken Rich Land hilly. Timb. Sugar,  
 Beech, Oak & c.

East On E. side of sec. 36. T. 12 N. R. 12 E.  
 36.00 a Brook 3 lbs. wide course N.  
 40.00 set temp. gr. sec. post.  
 50.00 To River = N. wide course S.E.  
 80.00 Fall 1.25 lbs. South of the corner to corner.  
 00.00 12 & 11 in Ranges 12 & 13 E.

West On S. side of sec. 36. T. 12 N. R. 12 E. corner line.  
 40.00 set gr. sec. post. from which  
 a Beech 12 in. dia. bears N 37 E. 9 lbs. dist. &



T. H. N. No. 12 E. 2<sup>nd</sup> Mer. Indiana. 7

ch. Sh. a Sugar 24 in. dia. bears N 89 W. 21 lb. dist.  
 80.00 set post cor. to sec. 35 & 36, from which  
 a Beech 16 in. dia. bears N 81 E. 10 lb. dist.  
 a Beech 12 " " " S 11 W. 19 " "

West On S. side of sec. 35. T. 12 N. 16. 12 E.  
 40.00 set gr. sec. post, from which  
 a Beech 10 in. dia. bears N 45 W. 8 lb. dist.  
 a Do. 16 " " " S 12 E. 13 " "  
 80.00 set post to sec. 34 & 35, from which  
 a Beech 6 in. dia. bears N 51 E. 26 lb. dist.  
 a Sapafus 12 in. dia. " S 21 W. 11 " "

West On S. side of sec. 34. T. 12 N. 16. 12 E.  
 40.00 set gr. sec. post, from which  
 a Beech 14 in. dia. bears N 2 E. 5 lb. dist.  
 a Do. 14 " " " S 70 W. - " "  
 80.00 set post cor. to sec. 33 & 34, from which  
 a Beech 14 in. dia. bears N 81 W. 14 lb. dist.  
 a Do. 20 " " " N 85 E. 36 " "

West On S. side of sec. 33. T. 12 N. 16. 12 E.  
 40.00 <sup>set gr. post, from which</sup> a White Oak 28 in. diam. bears N 79 E. 22 lb. dist.  
 a Buckeye 12 " " " S 73 W. 40 " "  
 80.00 set post cor. to sec. 32 & 33, from which  
 a Sugar 6 in. dia. bears S 80 W. 13 lb. dist.  
 a Do. 12 " " " N 88 E. 27 " "

West On S. side of sec. 32. T. 12 N. 16. 12 E.  
 40.00 set gr. sec. post, from which  
 a Beech 24 in. dia. bears S 45 W. 1 lb. dist.  
 a Do 14 " " " S 84 E 56 " "  
 80.00 set post cor. 31 & 32 from which  
 a Beech 12 in. dia. bears N 64 E. 10 lb. dist.  
 a Do 10 " " " S 60 W. 18 " "

8 S. 11 N. T. 12 E. 2<sup>nd</sup> Mer. Ind<sup>g</sup>

40.00

West On E. Side of Sec. 31. T. 12 N. R. 12 E.

set q. sec. post, from which  
a Beech 10 in. dia. bears S 5 E. 21 lks. dist. &

a Do. 10 " " " S 57 W. 24 " "

35.00

75.00

Cor. to Towns 11 & 12 Ranges 11 & 12 East

and set post, from which

a Sugar 10 in. dia. bears N 51 E. 21 lks. dist. &

a Sugar 15 " " " S 32 W. 35 " "

Surveyed in 1870.

Chy.

A. Holmes Dep. Sur.

West Boundary.

Var. 5.45 E.

North

22.00

On E. Side of Sec. 36. T. 11 N. R. 11 E.

a Brook 3 lks. wide C. E.

40.00

set q. sec. post, from which

a Beech 12 in. dia. bears S 57 W. 7 lks. dist. &

a Sugar 12 " " " N 22 E. 21 " "

43.00

--- N. 41.

80.00

set post Cor. to Secs. 25 & 36, from which

an Ash 24 in. dia. bears S 61 W. 18 lks. dist. &

a Beech 12 " " " N 65 E. 22 " "

Broken Beech land.

North

10.00

On E. Side of Sec. 25. T. 11 N. R. 11 E.

a Creek 100 lks. wide Course N. E.

11.50

a Sugar 16 in. dia. Rich land. Sugar 40 lks. &

20.00

a Creek Course N. W. Ash

24.00

a Do. " N. E.

40.00

set q. sec. post, from which

a Wh. Oak 18 in. dia. bears N 32 E. 25 lks. dist. &

a Gum 8 in. dia. bears S 60 E. 30 " "

51.50

a Brook 4 lks. wide Course E.

78.00

a Brook 3 " " " E.

80.00

set post Cor. to Secs. 24 & 25. fr. wh.

a Wh. Oak 14 in. dia. bears S 10 W. 18 lks. dist.

T. 11 N. R. 12 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup> 9

ch. 4<sup>th</sup> a dogwood 4 in. dia. bears N 10 E 14 lbs. dist.  
Hilly Oak land.

North On E. side of sec. 24. T. 11 N. R. 11 E.  
20.00 a Brook 3 lb. wide Course E.  
Hilly Oak land

40.00 Set q. Sec. post, from which  
a Beech 14 in. dia. bears N 33 W. 6 lb. dist.  
a Do. 6 " " " S 3 E. 16 " "

51.00 a Brook 3 lb. wide Course N. E.

80.00 Set post cor. to Sec. 13 & 24. fr. wh.  
a Sugar 16 in. dia. bears S 61 E. 15 lb. dist. &  
a Do. 14 " " " S 84 W. 35 " "  
Hilly rich land.

North On E. side of Sec. 13. T. 11 N. R. 11 E.

6.00 a Creek 50 lb. wide Course E.

15.00 a Brook 3 " " " S. W.

22.00 a Do. 3 " " " S. E.

39.00 a Do. 3 " " " S. W.

Hilly Broken land. Timb. Oak, Beech.

40.00 Set q. Sec. post. from which  
a Wh. Oak 36 in. dia. bears South 11 lb. dist. &  
a Beech 12 " " " N 18 E. 35 " "

58.00 a Brook 10 lb. wide Course E.

66.25 a Beech 18 in. diam.

80.00 Set post cor. to Sec. 12 & 13. fr. which  
a Beech 12 in. dia. bears N 68 E. 11 lb. dist. &  
a Beech 12 " " " S 5 E. 28 " "  
Hilly Oak land.

North On E. side of Sec. 12 T. 11 N. R. 11 E.

2.00 a Brook 10 lb. wide Course E.

14.25 a Wh. Oak 36 in. diam.

39.50 a Brook 3 lb. wide C. E.

Hilly land. Beech, Oak &c.

10. S. 11 N. 16. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

40.00 a Gum 18 in. dia. bears N 12 E. 9 lks. dist. &  
 a Beech 24 in. " " S 58 E. 12 " "  
 46.00 a Brook 4 lks. wide C. E.  
 55.00 a Do 10 " " " E  
 81.00 Set post cor. to Sec. 1 & 12, from wh.  
 a Beech 16 in. dia. bears S 30 E. 24 lks. dist.  
 a Do 14 " " " N 70 W. 23 " "  
 Hilly Beech land.

North On E. side of Sec. 1. T. 11 N. 16. 11 E.

20.00 a Brook 6 lks. wide Course E.

20.50 a Beech 14 in. diam.

33.00 a Do. 3 lks. wide Course E.

Good Beech land.

40.00 Set q. sec. post. from which

a Poplar 12 in. dia. bears S 60 W. 4 lks. dist.

a Beech 14 " " " " N 6 W. 31 " "

56.00 Brook 3 lks. wide Course E.

69.37 a B. Oak 36 in. diam.

80.00 Set post corner of S. 11 & 12 in Ranges  
 11 & 12 E. from which

a Sugar 10 in. dia. bears N 51 E. 21 lks. dist. &

a Do. 15 " " " " S 32 W. 35 " "

Good Beech land.

Surveyed in 1870.

By A. Holmes, Dep. Sur.

Subdivisions

Var. — —

North Between sections 35 & 36.

11.10 a Wh. Oak 24 in. diam.

18.50 a Water Course 10 lks. wide C. E.

40.00 Set q. sec. post. from which

a Poplar 20 in. dia. bears N 42 W. 22 lks. dist.

a Hickory 15 " " " " N 62 W. 5 " "

64.50 a Water Course 10 lks. wide course N. E.



11.

T. H. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

72.25 a Wh. Oak 20 in. dia.  
80.00 Set post Cor. to sec. 25, 26, 35 & 36,  
from which  
an Elm 10 in. dia. bears N 69 W, 14 lb. dist.  
a Wh. Oak 8 " " " S 50 E. - " "  
Hilly 3<sup>rd</sup> rate land. Timber, Oak and  
Wickory &c. - Bush & green briars.

---

East On Random between sec. 25 & 36.  
22.00 a Stream 18 lb. mid course N.  
40.00 Set temp. gr. sec. post.  
79.69 Fell 12 lb. N. of Holmes's post.  
This mile over very hilly last rate  
land. Timber. Oak & Wickory &c.

---

West Corner line between sec. 25 & 36.  
32.84 1/2 Set gr. sec. post. from which  
a Wh. Oak 18 in. dia. bears N 58 W, 23 lb. dist.  
a Bl. Oak 15 " " " S 84 W, 21 " "  
79.69 sec. cor.

---

North Between sec. 25 & 20.  
12.25 a creek 75 lb. wide N. 70 E.  
31.85 a Bl. Oak 12 in. diam.  
40.00 Set gr. sec. post. from which  
a Wh. Oak 12 in. dia. bears N 56 W, 21 lb. dist.  
a Gum 8 in. dia. bears N 85 E, 22 " "  
69.50 a Wh. Oak 18 in. dia.  
80.00 Set post Cor. to sec. 23, 24, 25 & 26, f. wh.  
a Wh. Oak 36 in. dia. bears N 44 E, 32 lb.  
a Gum 14 in. dia. bears S 35 W, 20 lb. dist.  
Over poor hilly land last rate.  
Timber Oak & Wickory &c. much brush  
and green briars.

---

North Between sec. 34 & 35.



12.

T. H. N. No. 126. 2<sup>nd</sup> Mer. Ind. 7<sup>th</sup>

- 26.50 a Stream 20 lks. wide Course East.  
 31.15 a Wh. Oak 30 in. diam.  
 40.00 Set gr. sec. post, from which  
 a Dogwood 8 in. dia. bears S 30 W, 30 lks. dist.  
 & a Gum 14 " " " N 57 E, 8 lks. dist.  
 58.90 a Wh. Oak 20 in. diam.  
 80.00 Set post cor. to Sec. 26, 27, 34 & 35, fr. wh.  
 a Wh. Oak 20 in. dia. bears North 3 lks. dist.  
 a Dogwood 6 " " " S 15 E, 3 lks. dist.  
 Over hilly 3<sup>rd</sup> rate land. Oak timber.

North Between Sections 33 &amp; 34.

- 17.50 a Stream 10 lks. wide runs W.  
 26.80 a Poplar 18 in. diam.  
 40.00 Set gr. sec. post, from which  
 a Gum 12 in. dia. bears S 4 E, 20 lks. dist.  
 a Wh. Oak 24 in. dia. " N 26 E, 25 " "  
 40.75 a Stream 10 lks. wide Course S. W.  
 80.00 Set post cor. to Sec. 27, 28, 33 & 34, fr. wh.  
 a Gum 15 in. dia. bears S 36 E, 12 lks. dist. and  
 a Maple 12 " " " N 26 W, 32 " "  
 Over level Poor land. Timb.  
 Oak, Maple, Beech &c.

North Between Sections 32 &amp; 33.

- 4.00 a Stream 12 lks. wide cr. N. 60 E.  
 21.30 a Do. 6 " " " East.  
 24.22 a Wh. Oak 30 in. diam.  
 26.00 a large stream 70 lks. wide 200 lks.  
 East of the line runs north.  
 35.00 Same stream 200 lks. East runs N. E.  
 40.00 a Thorn Bush 3 in. diam. for gr. sec.  
 post, from which  
 a Sugar 6 in. dia. bears S 18 W, 29 lks. dist.  
 a Hickory 14 in. " " S 79 E, 39 " "  
 48.00 a Water Course 75 lks. wide Course E. W.

13.

T. 11 N. R. 12 E. 2<sup>nd</sup> Mer. Indiana.

71.50 a stream 20 ft. wide runs N 60 W.  
 80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from wh.  
 a Wh. Oak 14 in. dia. bears N 67 E. 5 ft. dist. &  
 a Do. 20 " " " N 57 W. 10 " "  
 3<sup>rd</sup> rate land very hilly. Timb. Oak  
 Hickory Sugar - much Brush and  
 briars &c.

North Between sections 31 & 32.

9.30 a wh. Oak 12 in. diam.  
 40.00 Set gp. sec. post. from which  
 a Beech 14 in. dia. bears N 39 E. 19 ft. dist. &  
 a Wh. Oak 16 " " " S 77 W. 17 " "  
 54.40 a Do. 20 " "  
 74.00 a Hickory 12 " "  
 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, fr. wh.  
 a Beech 12 in. dia. bears N 62 E. 15 ft. dist. &  
 a Hickory 13 " " " N 60 W. 23 " "  
 Over small hills. Timb. Oak, Hickory  
 Beech &c.

West Between sections 30 & 31.

7.50 a stream 18 ft. wide course N 45 E.  
 18.76 a Sugar 14 in. diam.  
 40.00 Set gp. sec. post. a Dogwood 5 in. diam.  
 for post, from which  
 a Poplar 33 in. dia. bears S 23 E. 28 ft. dist. &  
 59.20 Intersect W. Boundary 16 ft. South of  
 Holmes' post & set post Cor. to Sections  
 30 & 31, from which  
 a Wh. Oak 18 in. dia. bears N 66 W. 18 ft. dist.  
 a Beech 15 " " " N 88 E. 18 " "  
 Tully 3<sup>rd</sup> rate. Timb. Oak, Hickory and  
 Poplar &c.

East On Roadway between Sec. 29 & 32.

14. S. W. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind. <sup>9<sup>th</sup></sup>  
Ch. 1<sup>st</sup> 1<sup>st</sup>

23.00 a stream 15 lb. wide course N.  
40.00 set temp. gr. sec. post.  
76.00 a stream 88 lb. wide course N.  
80.20 Intersect N & S line 5 lb. N. of post.  
Over small hills and hollows. —  
Land, 3<sup>rd</sup> rate. Timber: Oak, Hickory  
&c.

---

East On Random between Sec. 33 & 28.  
22.62 a stream 5 lb. wide crs. S. 67 W.  
40.00 set temp. gr. sec. post.  
80.08 Intersect N & S line 7 lb. S. of post.  
This mile on the top of a ridge Tim.  
Oak, Hickory &c land 2<sup>nd</sup> rate.

---

East On Random between Sec. 27 & 34.  
8.30 a small river  
40.00 set temp. gr. sec. post.  
79.60 Intersect N & S line 94 lb. S. of post.  
Land, level thin soil. Timber, Oak  
and Hickory.

---

East On Random between Sec. 26 & 35.  
29.55 a stream 15 lb. wide runs South.  
40.00 set temp. gr. sec. post.  
44.50 a creek 75 lb. wide runs N 70 E.  
79.70 Intersect N & S line 35 lb. N. of post.  
This mile Over hilly poor land.  
Timber: Oak & Hickory.

---

West Correct line between Sec. 26 & 35.  
39.85 set gr. sec. post, from which  
a Bl. Oak 10 in. dia. bears N 50 W. 28 lb. dist.  
a Sycamore 18 in. " " N 72 E. 25 " "  
79.70 sec. loc.

---

15.

S. 11 N. T6. 12 E. 2<sup>nd</sup> Mer. Ind.

North Between Secs. 26 & 27.

- 12.75 a stream 12 ft. wide course E.  
31.15 a Wh. Oak 24 in. diam.  
40.00 set gr. sec. post, from which  
a Wh. Oak 30 in. dia. bears S 1 E. 41 ft. dist.  
a Dogwood 8 in. dia. ... N 7 E. 18 " "  
62.15 a Poplar 15 in. dia.  
80.00 set post cor. to secs. 22, 23, 26 & 27.  
a Beech 8 in. dia. bears S 1 W. 45 ft. dist.  
a Bl. Oak 10 in. " West 32 " "  
Over hilly 3<sup>rd</sup> rate Land. Timber:  
Oak, Poplar &c.
- 

West correct line Between Secs. 27 & 34.

- 39.81 set gr. sec. post at averaged distance  
from which  
a Wh. Oak 36 in. dia. bears S 63 W. 13 ft. dist.  
a Maple 12 " " " N 79 E. 23 " "  
77.60 Sec. cor.
- 

North Between Secs. 27 & 28.

- 8.20 a Bl. Oak 20 in. diam.  
29.50 a stream 8 ft. wide runs West.  
40.00 set gr. sec. post, from which  
a Poplar 20 in. dia. bears N 55 E. 36 ft. dist.  
a Do. 12 " " " S 38 E. 16 " "  
68.00 a stream 12 ft. wide course N. W.  
80.00 set post cor. to Secs. 21, 22, 27 & 28.  
a Bl. Oak 12 in. dia. bears N 60 E. 17 ft. dist.  
a Wh. Oak 30 " " " S 76 E. 23 " "  
Land, level poor 3<sup>rd</sup> rate. Timber:  
Oak, Beech & Poplar.
- 

West correct line betw<sup>n</sup> Secs. 28 & 33.

- 40.84 set gr. sec. post, at average dist. from wh.  
a Maple 6 in. dia. bears S 48 W. 15 ft. dist.



16. S. 11 N. Sec. 12 E. 2<sup>nd</sup> Mer. And<sup>o</sup>

ch<sup>o</sup> 2<sup>o</sup> a Hickory 6 in. dia. bears N 24 W. 8 lb. dist.  
80.08 sec. cor.

---

North Between Sections 28 & 29.

11.90 a Hickory 14 in. dia.  
40.00 set gr. sec. post. from which  
a Sugar 6 in. dia. bears S 82 W. 13 lb. dist.  
a Do. 5 " " " N 34 E. 14 " "  
64.72 a Wh. Oak 16 in. diam.  
73.50 a stream 15 lb. wide runs S 77 W.  
80.00 set post cor. to sec<sup>s</sup> 20, 21, 28 & 29, fr. wh.  
a Sugar 5 in. dia. bears North 6 lb. dist.,  
& a White Oak 3 in. " " S 27 W. 36 " "

---

West Correct line between sec<sup>s</sup> 29 & 32.

40.10 set gr. sec. post. from which  
a Bl. Oak 26 in. dia. bears N 10 W. 26 lb. dist.  
a Hickory 12 " " " S 50 E. 30 " "  
80.20 section corner.

---

North Between sec<sup>s</sup> 29 & 30.

8.50 a stream 18 lb. wide runs N 25 E.  
12.00 a stream in the line.  
18.00 a stream course East.  
34.00 a creek 150 lb. wide runs N 40 E.  
40.00 set gr. sec. post. from which  
a Wh. Oak 12 in. dia. bears S 70 W. 23 lb. dist.  
& a Hickory 13 in. dia. bears N 64 E. 15 lb. dist.  
68.04 a Cherry 14 " "  
79.00 a stream 15 lb. wide runs E.  
80.00 set post cor. to sec<sup>s</sup> 19, 20, 29 & 30, fr. wh.  
a Hickory 18 in. dia. bears S 50 E. 10 lb. dist.  
& Sugar 26 " " " N 16 W. 18 " "

---

East On Random Between 20 & 29.

10.00 a creek 150 lb. wide runs N 40 E. comes fr. S 40 E.



17.

S. W. N. Sec. 12 E. 2<sup>nd</sup> Mer. Indiana.

40.00 set temp. gr. sec. post.  
 44.50 a stream 70 lb. wide runs N 20 E.  
 80.55 Intersect N & S. line 72 lb. N. of post.  
 Over Mountain hills much brush &  
 briars last rate land. Timber Oak,  
 Hickory &c.

---

East On Random between Sec. 21 & 28.  
 40.00 set temp. gr. sec. post.  
 69.50 a stream 12 lb. wide runs S 80 W.  
 79.92 Intersect N & S. line 76 lb. S. of post.  
 This mile hilly 3<sup>rd</sup> rate land.  
 Timb. Oak, Hickory &c.

---

East On Random between Sec. 22 & 27.  
 3.75 a small stream runs N 75 W.  
 40.00 set temporary gr. sec. post.  
 79.70 Intersect N & S. line 52 lb. S. of post.  
 Over level thin land. Timb. Oak  
 and Hickory.

---

East On Random between Sec. 23 & 26.  
 40.00 set temp. gr. sec. post.  
 80.12 Intersect N & S. line 24 lb. S. of post.  
 Land, hilly 3<sup>rd</sup> rate. Timb. Oak,  
 Hickory thick under bush.

---

East On Random between Sec. 24 & 25.  
 40.00 set temp. gr. sec. post.  
 72.00 a creek 75 lb. wide course N. E.  
 79.64 Intersect N & S. line 35 lb. S. of post.  
 Over hilly 3<sup>rd</sup> rate land. Timber  
 Oak and Hickory.

---

West correct line between Sec. 24 & 25.  
 39.82 set gr. sec. post. from which

S. W. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

ch. Lk. a Sugar 12 in. dia. bears S 20 W. 21 lks. dist.  
an Ironwood 6 in. dia. N 21 E. 16 " "  
79.64 section corner.

North Between Sec. 23 & 24.

1.85 a Hickory 15 in. diam.  
22.80 a stream 20 lks. wide runs E.  
39.40 a Run 20 " " " East.  
40.00 set gr. sec. post, from which  
a Sugar 8 in. dia. bears N 39 E. 10 lks. dist.  
a Do. 10 " " " N 56 W. 16 " "  
78.20 a stream 10 lks. wide runs East.  
80.00 set post cor. to Sec. 13, 14, 23 & 24, fr. wh.  
a Wh. Oak 14 in. dia. bears S 79 W. 14 lks. dist.  
& a Bl. Oak 20 " " " N 6 E. 29 " "  
Over hilly 3<sup>rd</sup> rate land. Timber Oak  
and Hickory.

West correct line between Sec. 23 & 26.

40.06 set gr. sec. post, from which  
a Hickory 8 in. dia. bears S 26 W. 27 lks. dist.  
& a Sugar 12 " " " N 2 E. 26 " "  
80.12 section cor.

North Between Sections 22 & 23.

13.00 a stream 16 lks. wide runs E.  
40.00 set gr. sec. post, from which  
a Wh. Oak 14 in. dia. bears S 12 E. 55 lks. dist.  
a Dogwood 5 " " " N 41 E. 8 " "  
59.20 a Wh. Oak 20 in. diam.  
59.50 a stream 16 lks. wide runs S 55 E.  
80.00 set post cor. to Sec. 14, 15, 22 & 23, fr. wh.  
a Wh. Oak 12 in. dia. bears S 20 E. 7 lks. dist.  
a Ditto 15 " " " N 6 W. 36 " "  
This mile Over small hills 3<sup>rd</sup> rate  
land. Oak & Hickory Timber.

19.

S. H. N. T. 12 E. 2<sup>nd</sup> Mer. Indiana.

West correct line between sec. 23 & 24.  
 39.85 Set gr. sec. post from which  
 a Maple 10 in. dia. bears S 52 E. 7 1/2 lb. dist.  
 a Poplar 20 " " " N 29 W. 17 " "  
 79.70 Sec. cor.

North Between sections 21 & 22.  
 18.66 a Wh. Oak 22 in. diam.  
 40.00 Set gr. sec. post from which  
 no bearing, being by the side of a  
 Beech tree 9 in. diam. marked on 4 sides.  
 59.60 a Hickory 10 " "  
 72.00 a stream 15 lb. wide runs W.  
 80.00 Set post cor. to sec. 15, 16, 21 & 22,  
 a Wh. Oak 34 in. dia. bears S 4 W. 42 lb.  
 & a Hickory 13 " " " N 87 W. 8 "  
 Land, hilly 3 1/2 rate. Timber: Oak & Hickory &c.

West On correct line between sec. 21 & 28.  
 39.96 Set gr. sec. post from which  
 a Dogwood 4 in. dia. for gr. post, fr. wh  
 a Sugar 12 in. dia. bears S 86 W. 10 lb. dist.  
 77.92 a Beech 5 " " " S 73 E. 31 " "  
 79.92 Sec. Cor.

North Between sections 20 & 21.  
 25.20 a Blue Ash 14 in. dia.  
 26.00 a stream 12 lb. wide N. 60 W.  
 40.00 Set gr. sec. post from which  
 a Sugar 8 in. dia. bears S 7 W. 13 lb. dist.  
 & a Do. 9 " " " S 78 E. 21 " "  
 a large creek 10.00 wide. appears  
 to run North, course of creek West.  
 65.00 a stream 18 lb. wide course N. 70 W.  
 The large creek appears to run parallel  
 with the line.

20. S. M. N. T. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. M.

74.50 a Sugar 9 in. diam.  
 80.00 Set post cor. to sec. 16, 17, 20 & 21. from which  
 a Wh. Oak 22 in. dia. bears N. W. 21 lb. dist.  
 a Sugar 16 " " " S 69 E. 46 " "  
 Over steep rough points and deep  
 hollows last rate land, much brush  
 and briars. Timber: Oak and Hickory.

West Corner line between sec. 20 & 29.

40.27 1/2 Set gr. sec. post. from which  
 a Sugar 12 in. dia. bears S 65 W. 8 lb. dist.  
 a Do. 7 " " " S 46 E. 7 " "  
 80.55 Section corner.

West Between sections 19 & 30.

5.00 a Water course  
 12.90 a Sugar 14 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Beech 18 in. dia. bears S 47 W. 8 lb. dist.  
 a Wh. Oak 16 " " " N 14 W 48 " "  
 61.65 Intersect W. Boundary 39 lb. South  
 of post set by Holmes & set post cor.  
 to sec. 19 & 30, from which  
 Beech 8 in. dia. bears S 72 E. 19 lb. dist. &  
 a Wh. Oak 14 in. " " N 80 W. 22 " "  
 Land on this mile steep points  
 and low hollows 3<sup>d</sup> rate land  
 Timber, Oak Poplar & Beech.

North Between sections 19 & 20.

26.40 a Wh. Oak 20 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Wh. Oak 15 in. dia. bears S 87 W. 55 lb. dist.  
 a Do. 15 " " " N 32 E. 50 " "  
 72.70 a Sugar 12 " "  
 80.00 Set post cor. to sec. 17, 18, 19 & 20, from which



S. 11 N. 16. 12 E. 2<sup>nd</sup> Mer. Ind <sup>21</sup>/<sub>11</sub>

Ch. 14. An Elm 14 in. dia. bears 120 N. 22 W. of  
a Hickory 20 " " S. E. 49 W. dist.  
Land, over a succession of small  
East On much brush & briars 3<sup>rd</sup> rate  
land. Timber Oak Hickory &c.

---

East On Random between sec. 17 & 20.  
40.00 Set temp. gr. sec. post.  
62.01 a creek 50 W. to the South corner  
from S. 15 E.  
71.00 a creek 160 W. wide crs. N 50 E.  
80.30 Intersect N & S. line at post.  
This mile hilly 3<sup>rd</sup> rate land.  
Tim. Oak Sugar &c. much brush

---

East On Random between sec. 16 & 21.  
40.00 Set temp. gr. sec. post.  
80.42 Intersect N & S. line 55 W. of post.  
Land 3<sup>rd</sup> rate. Timber Oak and  
Hickory. Steep hills.

---

East On Random between sec. 15 & 22.  
11.40 a stream 12 W. wide crs. S 60 W.  
40.00 Set temp. gr. sec. post.  
79.79 Intersect N & S. line at post.  
This mile level 2<sup>nd</sup> rate.  
Oak, Hickory &c.

---

East On Random between sec. 14 & 23.  
25.70 a stream 18 W. wide crs. S 50 E.  
40.00 Set gr. sec. post. temp.  
80.38 Intersect N & S. line 45 W. of post.  
Land, hilly 3<sup>rd</sup> rate. Tim. Oak &  
Beech, Hickory &c. Mud. gth. of  
Brush and Briars.

---



22. S. 11 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>o</sup>.

East An Random between Sec. 13 & 24.

23.00 a stream 15 lks. wide crs. S. 30 W.

40.00 Set temp. gr. sec. post.

80.02 Intersect N. & S. line 18 lks. N. of post.

Land, hilly 3<sup>rd</sup> rate land. Timber,  
Oak and Sugar thick Undergrowth  
of bush and green vines.

---

West Correct line between Sec. 13 & 24.

40.01 Set gr. sec. post, from which  
a Wh. Oak 15 in. dia. bears S 22 W. 23 lks. dist.

a Do. 18 " " " N 28 E. 14 " "

80.02 Sec. cor.

---

North Between Sec. 13 & 14.

30.30 a Wh. Oak 24 in. diam.

35.00 a stream 8 lks. wide runs E.

40.00 Set gr. sec. post, from which  
a Beech 8 in. dia. bears N 77 E. 5 lks. dist. X  
a Blk. Oak 15 in. dia. " S 31 W. 23 " "

61.25 a stream 12 lks. wide runs N 70 E.

70.25 a Hickory 14 in. dia.

74.50 a stream 10 lks. wide runs E.

80.00 Set post Cor. to Sec. 11, 12, 13 & 14, fr. wh.

a gum 10 in. dia. bears S 42 E. 4 lks. dist. X

a Wh. Oak 24 in. " " N 48 W. 21 " "

Land, hilly 3<sup>rd</sup> rate. Timb. Oak,  
Beech, Poplar and Hickory.

---

West Correct line between Sec. 14 & 23.

40.19 set gr. sec. post, from which  
a Hickory 10 in. dia. bears N 73 W. 19 lks. dist.

a Poplar 12 " " " S 72 W. 23 " "

80.38 Sec. cor.

---

North Between Sec. 14 & 15.

23.

T. 11 N. R. 12 E. 2<sup>nd</sup> Mer. Ind. <sup>a</sup>

- 20.25 a stream 10 ft. wide runs S. 55 E.  
26.07 a Wh. Oak 16 in. dia.  
40.00 set gr. sec. post. from which  
a Hickory 13 in. dia. bears S 24 W. 12 ft. dist.  
a Bl. Oak 24 " " " S 58 W. 17 " "  
73.62 a Wh. Oak 16 " "  
80.00 set post cor. to sec. 10, 11, 14 & 15, fr. wh.  
a Wh. Oak 28 in. dia. bears S 47 W. 58 ft. &  
a Do. 36 " " " N 62 E. 60 " dist.  
Over hilly land 3<sup>rd</sup> rate. Timber  
Oak Hickory &c.
- 

West corner line between sec. 15 & 22.

- set gr. sec. post. from which  
two bearings; a Wh. Oak 26 in diam  
marked on 4 sides for gr. post.  
79.79 sec. cor.
- 

North Between Sec. 15 & 16.

- 34.55 a Wh. Oak 18 in. dia.  
40.00 set gr. sec. post. from which  
a Wh. Oak 26 in. diam. bears N 30 E. 30 ft.  
a Wh. Do. 12 " " " N 67 W. 13 " dist.  
59.40 a Do 22 " "  
80.00 set post cor. to sec. 9, 10, 15 & 16, fr. wh.  
a Wh. Oak 22 in. dia. bears S 5 W. 14 ft. dist.  
a Do. 8 " " " N 58 W. 33 " "  
Over land of an easy changing sur-  
face 2<sup>nd</sup> rate. Timber Oak Hickory  
&c. &c.
- 

West corner line between sec. 16 & 21.

- 40.21 set gr. sec. post. from which  
a Poplar 17 in. dia. bears South 37 ft. dist.  
an Ironwood 6 in. " " N 26 E. 18 " "  
80.42 section corner.

S. W. N. Sec. 12 E. 2<sup>nd</sup> Mer. Indiana

North Between Sections 16 &amp; 17.

- 23.15 a Wh. Oak 28 in. dia. and  
a creek 6 chains to the West and  
runs nearly parallel with the line
- 33.00 Came to the creek 200 ft. wide  
runs N 20 E.
- 40.00 Set gr. sec. post. from which  
an Elm 6 in. dia. bears N 50 W. 14 ft. dist.  
a Wh. Oak 14 in. dia. " N 40 E. 33 " "
- 42.50 Came to a creek runs North 5 West  
shortly turns eastwardly making an  
offset West of 300 ft.
- 49.00 Return to the line
- 55.00 To the creek runs N 30 W.
- 58.00 Crossed creek
- 64.20 a Hackberry 22 in. diam.
- 69.00 The creek comes from N 45 W. -  
runs N 40 E. but soon turns more  
north.
- 80.00 Set post cor. to Secs 8, 9, 16 & 17. fr. wh.  
a Sycamore 39 in. dia. bears N 40 W. 22 ft. &  
a Buckeye 6 " " " N 4 E. 8 ft. dist.  
The greater part of this mile is  
a creek bottom.

West correct line between Secs 17 &amp; 20.

- 40.15 Set gr. sec. post. from which  
a Hickory 24 in. dia. bears N 75 E. 17 ft. dist.  
a Gum 12 " " " N. - W. 6 " "
- 80.30 Sec. corner.

West Between Secs 18 &amp; 19.

- 11.50 a Wh. Oak 15 in. diam.
- 40.00 Set gr. sec. post. from which  
a Sugar 10 in. dia. bears N 26 E. 35 ft. dist. &  
a Beech 10 " " " N 22 W. 23 " "

S. N. N. No. 12 E. 2<sup>nd</sup> Mer. And <sup>9<sup>th</sup></sup>

C. L.

63.85 Intersect W. Boundary 16<sup>th</sup> North of  
Holmes's post & set post cor. to sec.  
18 & 19, from which  
a Blk. Walnut 24 in. dia. bears N 69 W 11<sup>th</sup> lb.  
an Elm 12 in. dia. bears N 69 W 30<sup>th</sup> lb. dist.  
Hilly 3<sup>rd</sup> rate land. Timber Oak,  
Beech and Poplar.

North Between Secs. 17 & 18.

17.00 a creek 50<sup>th</sup> lb. wide runs N. E.

20.73 a Hickory 14 in. diam.

40.00 set gr. sec. post. from which  
a Wh. Oak 18 in. dia. bears N 3 E. 16<sup>th</sup> lb. dist.  
a Do. 10 " " " " S 80 E. 15 " "

40.80 a stream 15<sup>th</sup> lb. wide runs E.

65.85 a Sugar 8 in. dia.

77.20 a stream 14<sup>th</sup> lb. wide course E.

80.00 set post cor. to Secs. 7, 8, 17 & 18, fr. wh.  
a Beech 8 in. dia. bears N. 8<sup>th</sup> lb. dist. &  
a Wh. Oak 14 in. dia. " S 8 W. 23<sup>th</sup> lb. dist.  
Over hilly 3<sup>rd</sup> rate land. Timber  
Oak, Beech & Sugar.

East On Random Between Secs. 8 & 17.

40.00 set temp. gr. sec. post.

41.50 a stream 25<sup>th</sup> lb. wide runs S 80 E.

80.44 Intersect N. & S. line 25<sup>th</sup> lb. S. of post.  
Over hilly 3<sup>rd</sup> rate land. Timber  
Oak, Beech & Sugar

East On Random Between Secs. 9 & 16.

1.20 a creek 90<sup>th</sup> lb. wide runs N.

40.00 set temp. gr. sec. post.

80.64 Intersect N. & S. line 24<sup>th</sup> lb. S. of  
post. Over hilly 3<sup>rd</sup> rate land  
Tim. Oak, Beech & Sugar very thick under the



26. S. H. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind <sup>a</sup>/<sub>11</sub>

East on Random between Sec. 10 & 15.

17.00 a stream 10 lks. wide course N.

40.00 set temp. gr. sec. post.

70.30 a stream 15 lks. wide crs. N.

80.28 Intersect N & S line 8 lks. S. of post.

Over hilly land  $3\frac{2}{3}$  rate. Tim.

Oak, Beech and Poplar.

---

East on Random between sec. 11 & 14.

17.50 a stream 12 lks. wide crs. N.

40.00 set temp. gr. sec. post.

43.30 a stream 14 lks. wide crs. N.

80.00 Intersect N & S line 32 lks. N. of post

hilly  $3\frac{2}{3}$  rate land Tim. Oak

Beech & Poplar.

---

East on Random between Sec. 12 & 13.

22.50 a stream 14 lks. wide course N.

40.00 set temp. gr. sec. post.

79.90 Intersect N & S line on E. Bdy 10 lks. S. of Holmes post.

Over hilly  $3\frac{2}{3}$  rate land. Tim.

Oak Beech and Poplar. Thick

undergrowth of brush and green

vines.

---

West Correct line between sec. 12 & 13.

39.95 Set gr. sec. post. from which  
a Wh. Oak 2 lks. dia. bears 24 in. diam.

marked for gr. sec. post.

79.90 Section Corner.

---

West Correct line between Sec. 11 & 14.

40.20 Set gr. sec. post. from which

a Beech 14 in. dia. bears East 23 lks. dist.

a Wh. Oak 20 in. dia. " N 66 W 31 lks. dist.

S. M. N. No. 12 E. 2<sup>nd</sup> Mer. Ind. a 27.

80.40 Section Corner.

---

North Between Sections 11 & 12.

- 5.18 a Poplar 18 in. diam.  
37.00 a stream 30 ft. wide crs. E.  
40.00 set gr. sec. post. from which  
a Sugar 15 in. dia. bears S 11 E 48 ft. &  
a Do. 24 " " " N 17 W 54 " dist.  
49.70 a Beech 12 " "  
80.00 set post Cor. to Sec. 1, 2, 11 & 12 from wh.  
a Sugar 12 in. dia. bears S 62 E 15 ft. dist.  
a Beech 15 " " " S 74 W 24 " "  
Over hilly 3<sup>rd</sup> rate land. Timber  
Oak, Beech and Poplar.

---

North Between Sec. 10 & 11.

- .60 a Wh. Oak 24 in. diam.  
40.00 set gr. sec. post. from which  
a Poplar 8 in. dia. bears N 46 E 14 ft. &  
a Gum 12 " " " S 11 E 25 ft. dist.  
67.60 a Wh. Oak 10 in. diam.  
75.20 a stream 8 ft. wide course crs.  
80.00 set post Cor. to Sec. 2, 3, 10 & 11, from wh.  
a Beech 18 in. dia. bears N 5 E 23 ft. &  
a Wh. Oak 30 " " " N 25 W 29 ft. dist.  
Over hilly 3<sup>rd</sup> rate land. Timber  
Oak, Beech and Poplar.

---

West Correct line Between Sec. 10 & 15.

- 40.14 set gr. sec. post. from which  
a Beech 16 in. dia. bears N 51 W 27 ft. dist.  
a Gum 15 " " " N 56 E 18 " "  
80.28 Section Corner.

---

North Between Sections 9 & 10.

- 8.20 a Bl. Oak 18 in. diam.

28. S. 11 N. T. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

40.00 Set gr. sec. post, from which  
a Hickory 14 in. dia. bears S 25 E. 15 lb.  
a Beech 12 " " " N 15 W. 25 "  
61.20 a Wh. Oak 24 " "  
70.90 a stream 20 lb. wide runs N 15 W.  
80.00 Set post Cor. to Sec. 3, 4, 9 & 10, fr. wh.  
a Hickory 12 in. dia. bears N 16 W. 23 lb. dist.  
a Sugar 10 " " " S 69 W. 19 " "  
Hilly 3 $\frac{1}{2}$  rate land. Timber,  
Oak Beech and Poplar. Under  
growth of Bush & green vines

---

West Corner line between Sec. 9 & 16.

40.32 Set gr. sec. post, from which  
a Beech 8 in. dia. bears S 52 W. 10 lb.  
a Wh. Oak 20 in. " " N 59 E. 21 " dist.  
80.64 Section Corner.

---

North Between Sections 8 & 9.

14.50 a Creek 100 lb. wide course N. W.  
30.00 Same Creek runs N 14 E.  
36.16 a Hoop Ash 30 in. diam.  
40.00 Set gr. sec. post, from which  
a Sycamore 6 in. dia. bears S 42 W. 6 lb. &  
a Ditto 5 in. dia. " East 6 " dist.  
67.10 a Beech 10 " "  
80.00 Set post Cor. to Sec. 4, 5, 8 & 9, fr. wh.  
a Wh. Oak 24 in. dia. bears N 42 E. 15 lb.  
a Sugar 12 " " " S 62 E. 22 " dist.  
Over hilly 3 $\frac{1}{2}$  rate land. Timber  
Oak, Beech, Poplar & Sugar.

---

West Corner line between Sec. 8 & 17.

40.22 Set gr. sec. post, from which  
a Sugar 8 in. dia. bears N 5 E. 23 lb. dist.  
a Do. 8 " " " S 77 E. 15 " "

29.

S. 11 N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind  $\frac{a}{11}$

80.44 Section Corner.

---

West Between Secs 7 & 18.

4.20 a stream 18 lks wide crs. S.E.

21.58 a Beech 18 in. diam.

30.25 a small water course crs. S.E.

40.00 Set gr. sec. post, from which  
a Beech 16 in. dia. bears S 75 E, 12 lks &  
a Gum 14 " " " East, 40 lks. dist.

55.70 a Hickory 12 " "

66.05 Intersect W. Boundary 33 lks S. of the-  
me's post & set post Cor. to Secs 7 & 18.  
a Beech 10 in. dia. bears N 18 W, 6 lks. dist.  
a Beech 8 " " " S 18 E, 32 " "  
Over hilly 3 $\frac{1}{2}$  rate land. Timb.  
Oak Beech and Poplar.

---

North Between Sections 7 & 8.

19.45 a Hickory 15 in. diam.

36.50 a stream 8 lks wide crs. S.E.

40.00 Set gr. sec. post, from which  
a Wh. Oak 18 in. dia. bears N 47 W, 18 lks  
a Beech 15 " " " S 42 E, 12 "

73.18 a Sugar 12 " "

80.00 Set post Cor. to Secs 5, 6, 7 & 8, from wh.  
a Wh. Oak 4 feet dia. bears S 81 W, 12 lks. dist.  
a Beech 6 in. dia. " N 87 E, 12 " "  
Over hilly 3 $\frac{1}{2}$  rate land. Timb.  
Oak, Beech and Sugar.

---

East On Random between Secs 5 & 8.

18.50 a stream 25 lks wide crs. S.E.

40.00 Set gr. sec. post, for (tempy.)

80.06 Intersect N & S line 56 lks S. of post.  
This mile Over hilly 3 $\frac{1}{2}$  rate land  
Timb. Oak Beech Poplar & Sugar.



S. H. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

64.2 Lk.

East On Random betw<sup>y</sup> sec. 4 & 9.

24.00 a creek 100 Lk. wide course N.

40.00 set temp. gr. sec. post.

76.30 a stream 25 Lk. wide runs N 10 W.

80.22 Intersect N & S. line 78 Lk. S. of post.

Over hilly 3<sup>rd</sup> rate land. Timber  
Oak, Beech and Sugar. Thick  
undergrowth of brush and green  
vines

East On Random betw<sup>y</sup> sec. 3 & 10.

33.00 a stream 15 Lk. wide runs N.

40.00 set temp. gr. sec. post.

67.20 a stream 14 Lk. wide course S. 28 W.

80.16 Intersect N & S. line 13 Lk. N. of post.

Over hilly 3<sup>rd</sup> rate land. Timber  
Oak Beech & Poplar.

East On Random between sec. 2 & 11.

28.25 a stream 12 Lk. wide runs South.

40.00 set temp. gr. sec. post.

77.20 a stream 12 Lk. wide crs. S. 16 E.

80.38 Intersect N & S. line 34 Lk. N. of post.

Over hilly 3<sup>rd</sup> rate land. Timber  
Oak, Hickory, Beech & Poplar.

East On Random betw<sup>y</sup> sec. 1 & 12.

17.30 a stream 10 Lk. wide crs. S. E.

40.00 set temp. gr. sec. post.

80.40 Intersect N & S. line or E. boundary 5 Lk.  
North of Holmes post.

Over hilly 3<sup>rd</sup> rate land. Timber  
Oak, Beech and Sugar.

West Correct line betw<sup>y</sup> sec. 1 & 12.

40.20 set gr. sec. post, from which

31.

T. 11 N. R. 12 E. 2<sup>nd</sup> Mer. Ind<sup>o</sup>

Ch. Pk. Oak 6 in. dia. bears N 65 W. 35 lb. dist. &  
 a Sugar 5 " " " N 6 W. 9 " "  
 80.40 Section Corner.

---

North Between Sec. 1 & 2.

16.90 a Poplar 14 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Beech 16 in. dia. bears N. 14 lb. dist. &  
 a Sugar 8 " " " S 6 W. 4 " "  
 41.62 a Do. 15 " "  
 77.43 Intersect N. Boundary 125 lb. W. of  
 Holmes post & set post Cor. to Sec. 1 &  
 2, from which  
 a Sugar 10 in. dia. bears N 23 W. 18 lb. dist. &  
 a Do. 6 " " " S 62 E. 25 " "  
 Over hill 3<sup>1</sup>/<sub>2</sub> rate land. Timber Oak,  
 Beech and Sugar.

---

West Corner line between Sec. 2 & 11.

40.19 Set gr. sec. post from which  
 a Beech 8 in. dia. bears S 10 E. 15 lb. &  
 a Poplar 15 " " " N 13 E. 15 " dist.  
 80.38 Section Corner.

---

North Between Sections 2 & 3.

12.35 a Beech 18 in. diam.  
 40.00 Set gr. sec. post. from which  
 a Beech 10 in. dia. bears N 49 E. 24 lb. &  
 a Do 16 " " " " S 17 W. 84 " dist.  
 51.65 a small stream course N.  
 62.10 a Sugar 14 in. diam.  
 77.66 Intersect N. Boundary 180 lb. W. of  
 Holmes post & set post Cor. to Sec.  
 2 & 3, from which  
 a Sugar 14 in. dia. bears N 79 W. 4 lb. dist. &  
 a Do. 6 " " " " N 38 E. 34 " "

32.

S. 11 N. Twp. 12 E. 2<sup>nd</sup> Mer. Ind. <sup>th</sup>Ch. 4<sup>th</sup> Sec.Hilly 3<sup>rd</sup> rate land. Oak Beech & Sugar.

West Corner line between Secs. 3 &amp; 10.

40.08 Set gr. sec. post. from which  
a Wh. Oak 15 in. dia. bears S 67<sup>th</sup> 9<sup>th</sup> E. dist.  
a Beech 10 " " " N 80<sup>th</sup> E. 9 " "

80.16 Section Corner.

North Between Sections 3 &amp; 4.

14.50 a stream 12 lbs. wide C. W.

29.55 a Wh. Oak 20 in. dia.

40.00 Set gr. sec. post. from which  
a Beech 20 in. dia. bears N 32<sup>th</sup> E. 32 lbs. dist.  
a Beech 24 " " " S 4<sup>th</sup> W. 32 " "77.86 Intersect N. Boundary 292 lbs. W. of Holmes  
post & set post cor. to Sec. 3 & 4, fr. wh.  
No bearing. Corner in a creek 120 lbs. wide  
course N. E.This mile hilly 3<sup>rd</sup> rate land. Tim.  
Oak, Hickory, Beech & Poplar.

West Corner line between Secs. 4 &amp; 9.

40.11 Set gr. sec. post. from which  
a Beech 10 in. dia. bears S 44<sup>th</sup> W. 17 lbs. dist.  
a Hickory 10 " " " N 19<sup>th</sup> W. 16 " "

80.22 Section Corner.

North Between Secs. 4 &amp; 5.

28.20 a Wh. Oak 12 in. diam.

40.00 Set gr. sec. post. from which  
a Beech 12 in. dia. bears S 80<sup>th</sup> E. 9 lbs. dist.  
a Hickory 16 " " " S 61<sup>th</sup> W. 24 " "

46.50 a small stream runs E.

57.06 a gum 12 in. diam.

79.12 Intersect N. Boundary 382 lbs. W. of post.  
& set post cor. to Secs. 4 & 5. from which

T. H. N. Sec. 12 E. 2<sup>nd</sup> Mer. Ind. <sup>33.</sup>

Ch. Sk. a Blue Ash 12 in. dia. bears N. 32 W. dist.  
an Iron ward 10 in. " " N 40 W. 33 " "  
Over hilly 3<sup>rd</sup> rate land. Timb.  
Oak, Beech and Poplar.

---

West Corner line between Sec. 5 & 8.  
40.00 Set gr. See post from which  
a Gum 20 in. dia. bears S 51 E. 29 lb.  
a Poplar 24 " " " S 61 W. 23 "  
80.06 Section corner.

---

West Between Sec. 6 & 7.  
13.45 a Beech 14 in. diam.  
33.75 a stream 8 lb. wide runs N. E.  
40.00 Set gr. See post from which  
a Beech 8 in. dia. marked for cor. post.  
49.25 a Wh. Oak 36 in. dia.  
67.88 Intersect W. Boundary 9 lb. S. of post  
& set post cor. to sec. 6 & 7. from wh.  
a Beech 20 in. dia. bears N 76 W. 35 lb.  
a do. 14 " " " N 87 E. 25 " dist.  
Over hilly 3<sup>rd</sup> rate land. Timb.  
Oak Beech & Poplar. &c.

---

North Between Sec. 5 & 6.  
1.65 a stream 12 lb. wide runs S. 80 E.  
9.38 a Beech 15 in. diam.  
29.50 a stream 10 lb. wide S. 65 E.  
40.00 Set gr. See post from which  
a Wh. Oak 15 in. dia. bears S 57 E. 38 lb.  
a Beech 14 " " " N 58 W. 41 " dist.  
58.18 a Hickory 15 " "  
79.65 Intersect N & S. line 487 lb. W. of  
post and marked a Beech 10 in. dia.  
for cor. to Sec. 5 & 6.  
This mill hilly 3<sup>rd</sup> rate land.



S. M. N. T. 12 E. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Ch. Lk. Timb. Oak, Beech Poplar & Sugar.  
Surveyed in 1810.

I certify to these Notes

William Ludlow,

Dep. Sur.

I certify that the foregoing transcripts of the Field Notes of Township N<sup>o</sup> 11 North, in Range N<sup>o</sup> 12 West 2<sup>nd</sup> Meridian in Indiana, has been compared with the Original in this Office, and found to be correct.

Surveyor General's Office  
Detroit Oct. 31 1849

Lucius Lyon,  
" Sur. Gen.